Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10/675621"	US-PGPUB; USPAT	OR	OFF	2007/03/21 16:16
S2	2138	714/6.ccls.	US-PGPUB; USPAT	OR	OFF	2007/03/21 15:04
S4	544	(SMI (system adj managment adj interrupt)) same (backup secondary)	interrupt)) same (backup USPAT;		ON	2007/03/20 12:56
S5	20	714/6.ccls. and (SMI (system adj managment adj interrupt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 11:22
S6	0	"6978398".pn. and interrupt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 11:17
S7		"6505305".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 11:20
	116	"714"/\$.ccls. and (SMI (system adj managment adj interrupt)) and (backup secondary failover standby)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 11:25
S9	792	"714"/\$.ccls. and quiesc\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 11:24

S10	35	"714"/\$.ccls. and (SMI (system adj managment adj interrupt)) same (backup secondary failover standby)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 11:33
S12	21	(SMI (system adj managment adj interrupt)) same affect\$3 same (fault failure error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 16:36
S13	16	(interrupt fault failure error) with (poll\$3 adj2 (remain\$3 other))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 13:02
S14	405	"714"/\$.ccls. and (interrupt) same affect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 13:03
S15	2	"714"/\$.ccls. and (interrupt error fault) same (affect\$3 adj3 (another adjacent other) adj3 (node device cpu memory controller))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 13:05
S16		"714"/\$.ccls. and (interrupt error fault) same ((affect\$3 poll\$3 check\$3) adj3 (another adjacent other) adj3 (node device cpu memory controller))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 13:06
S17	23	(interrupt error fault) same ((affect\$3 poll\$3 check\$3) adj3 (another adjacent other) adj3 (node device cpu memory controller))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 13:09

			T	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
S19	91	(SMI (system adj managment adj interrupt)) same ((test\$3 verify\$3 affect\$3 poll\$3 check\$3) adj3 (node device cpu memory controller))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:21
S20	643	(fault failure error interrupt) same ((restart\$3 reboot\$3 reset\$3 shut\$4 quiesc\$7) adj3 node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 18:19
S21	167	"714"/\$.ccls. and (fault failure error interrupt) same ((restart\$3 reboot\$3 reset\$3 shut\$4 quiesc\$7) adj3 node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/22 10:24
S27	28	"714"/\$.ccls. and (fault failure error interrupt) same (poll\$3 adj3 node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 13:29
S28	3	(fault failure error interrupt) same operation adj3 other adj3 (nodes components devices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:00
S29	126	puente.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:04
S30	2739	quiescent\$3 and poll\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:04

S31	164	quiescent\$3 same poll\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:06
S32	3	SMI same quiescent\$3 same poll\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:05
S34	800	(fault failure error problem (hot adj plug\$5)) same (SMI (system adj managment adj interrupt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:33
S35	3	(fault failure error problem (hot adj plug\$5)) same (SMI (system adj management adj interrupt)) same quiescent\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 14:40
S41	6	(multi adj node) same (fault failure error) same affected	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 15:12
S42	228	(fault failure error interrupt) same (poll\$3 adj3 (adjacent other associat\$3 relat\$3 dependent affect\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 15:27
S44	102	node adj3 affect\$3 adj3 failure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 16:01

S45	132	node adj3 affect\$3 adj3 (failure	US-PGPUB;	OR	ON	2007/03/20 16:05
		fault)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			100
S46	0	other adj3 affected adj3 nodes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 16:07
S50	38	(poll\$3 adj5 after adj5 (fault failure error interrupt))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 16:23
S58	17	(poll\$3 adj4 adjacent adj4 nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 16:42
S59	162	(poll\$3 adj4 adjacent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 16:43
S60	1	poll\$3 adj3 dependent adj3 nodes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:03
S66	3	IBM.as. and (system adj management adj interrupt)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 17:30

S74	12	(SMI (system adj managment adj interrupt)) same ((backup spare standby) adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 18:05
S79	261	multi adj node and poll\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/20 18:13
S98	3	(failure fault error interrupt) adj3 (another other) adj3 node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 11:04
S99	217	(failure fault error interrupt) adj3 escalat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 11:05
S10 4	782	"714"/\$.ccls. and (affected adj2 (fault failure error interrupt shut\$4 diabl\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 10:23
S10 9	1	10/675621 and service	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 11:48
S11 1	0	(failure fault error) adj3 affect\$3 adj3 other adj3 nodes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 12:50

	r		1			T
S11 2	0	(failure fault error SMI) adj3 affect\$3 adj3 other adj3 nodes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 12:51
S11 3	45	(failure fault error SMI) adj3 affect\$3 adj3 other	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 12:52
S11 4	7041	"714"/\$.ccls. and (poll\$3 acknowledg\$3 query\$3 heartbeat)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 12:55
S11 5	775	"714"/4.ccls. and (poll\$3 acknowledg\$3 query\$3 heartbeat)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/21 12:56
S12 3	2	Raid adj ram	US-PGPUB; USPAT	OR	ON	2007/03/21 13:32
S12 4	1	"10/375379"	US-PGPUB; USPAT	OR	ON	2007/03/21 13:32
S12 6	78	714/6.ccls. and hot adj swap\$5	US-PGPUB; USPAT	OR	OFF	2007/03/21 13:51
S12 7	98	714/6.ccls. and ((stor\$3 adj3 (location identity id identification address)) with primary)	US-PGPUB; USPAT	OR	ON	2007/03/21 13:58
S12 8	4	(simon adj3 chu).in.	US-PGPUB; USPAT	OR	ON	2007/03/21 13:56
S12 9	92	(simon with chu).in.	US-PGPUB; USPAT	OR	ON	2007/03/21 13:56
S13 0	1679	714/6.ccls. and (identity id identification address)	US-PGPUB; USPAT	OR	ON	2007/03/21 13:59
S13 1	439	714/6.ccls. and (identity id identification address) and mirror	US-PGPUB; USPAT	OR	ON	2007/03/21 14:02
S13 2	0	714/6.ccls. and (memory adj map) with (identity identification id)	US-PGPUB; USPAT	OR	ON	2007/03/21 14:04

			<u>,</u>			
S13 3	58	714/6.ccls. and (memory adj map)	US-PGPUB; USPAT	OR	ON	2007/03/21 14:06
S13 5	1	"10/375379"	US-PGPUB; USPAT	OR	ON	2007/03/21 14:15
S13 6	11767	((redundant backup secondary mirror) adj3 (storage memory)) and buffer and (location id identification address)	US-PGPUB; USPAT	OR .	ON	2007/03/21 14:16
S14 0	549	714/6.ccls. and (stor\$3 adj3 (id identity identification address))	US-PGPUB; USPAT	OR	ON	2007/03/21 14:32
S14 1	127	714/6.ccls. and (stor\$3 adj3 (id identity identification address)) and mirror	US-PGPUB; USPAT	OR	ON	2007/03/21 14:40
S14 2	52	714/6.ccls. and (device adj (id identity identification address)) and mirror	US-PGPUB; USPAT	OR	ON	2007/03/21 14:49
S15 9	62	62 "714"/6.ccls. and (hot adj swap\$4)		OR	OFF	2007/03/21 16:11
S16 4		(write adj through adj buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 09:37
S16 6	54	(redundant adj3 controller) and (commit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 09:41
S17 1	1130	711/162.ccls.	USPAT	OR	OFF	2007/03/22 10:25
S17 2	7	(write adj through) same buffer same remote	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 10:21

S17 4	40	"714"/48.ccls. and (affected adj2 (fault failure error interrupt shut\$4 diabl\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 10:23
S17 5	15	"714"/48.ccls. and (fault failure error interrupt) same ((restart\$3 reboot\$3 reset\$3 shut\$4 quiesc\$7) adj3 node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 10:24
S17 8	11	711/162.ccls. and ((redundant backup secondary mirror) adj (SIMM DIMM RAM (volatile adj memory)))	USPAT	OR	OFF	2007/03/22 10:26
S17 9	3	714/48.ccls. and (SMI_(system adj managment adj interrupt))	USPAT	OR	OFF	2007/03/22 10:29
S18 0	40	"714"/48.ccls. and (affected adj2 (fault failure error interrupt shut\$4 diabl\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 10:29
S18 1	15	"714"/48.ccls. and (fault failure error interrupt) same ((restart\$3 reboot\$3 reset\$3 shut\$4 quiesc\$7) adj3 node)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 10:29
S18 2	73	(hot adj swap\$4) same interrupt	USPAT	OR	OFF	2007/03/22 13:13
S18 3	58862	(detect\$3 adj fault failure error) with (remain\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:14
.S18 4	53	(detect\$3 adj (fault failure error)) with (remain\$3 adj3 (node device cpu memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 15:01

S18	126	puente.xa.	US-PGPUB;	OR	ON	2007/03/22 15:01
5			USPAT; USOCR;			
			FPRS;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			